• EAST

L Number	Hits	Search Text	DB	Time stamp
-	2278	709/225	USPAT;	2003/11/10 10:05
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3869	(709/217,219).CCLS.	USPAT;	2003/11/10 10:06
			US-PGPUB;	
			EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
-	3781	(709/203).CCLS.	USPAT;	2003/11/10 10:06
			US-PGPUB;	
			EPO; JPO;	
		`	DERWENT;	
			IBM_TDB	
-	746	(709/102).CCLS.	USPAT;	2003/11/10 10:07
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(	IBM_TDB	
-	354	(709/103).CCLS.	USPAT;	2003/11/10 10:07
		·	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	(75	(700/104) OCL C	IBM_TDB	2002/11/10 10:07
-	675	(709/104).CCLS.	USPAT;	2003/11/10 10:07
			US-PGPUB; EPO; JPO;	
			DERWENT;	
		·	IBM_TDB	
	453	(709/105).CCLS.	USPAT;	2003/11/10 10:07
-	400	(109/103).CCL3.	US-PGPUB;	2003/11/10 10.07
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
<u>-</u>	338	(709/225 or ((709/217,219).CCLS.) or ((709/203).CCLS.) or	USPAT;	2003/11/10 10:13
1		((709/102).CCLS.) or ((709/103).CCLS.) or ((709/104).CCLS.) or	US-PGPUB;	
		((709/105).CCLS.)) and (session adj (ID or identifier or number))	EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	0	((709/103).CCLS.) and (session adj (ID or identifier or number)) and	USPAT;	2003/11/10 10:11
		(load\$1balanc\$4) and @ad<20000929	US-PGPUB;	
			EPO; JPO;	
]			DERWENT;	
			IBM_TDB	
-	. 1	((709/103).CCLS.) and (session adj (ID or identifier or number)) and	USPAT;	2003/11/10 10:11
		@ad<20000929	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(	IBM_TDB	
<del>-</del>	4	(709/225 or ((709/217,219).CCLS.) or ((709/203).CCLS.) or	USPAT;	2003/11/10 10:13
		((709/102).CCLS.) or ((709/103).CCLS.) or ((709/104).CCLS.) or	US-PGPUB;	*
		((709/105).CCLS.)) and (session adj (ID or identifier or number)) and	EPO; JPO;	
		(load\$1balanc\$4) and @ad<20000929	DERWENT;	
	163	SSI and load Sibalana \$2	IBM_TDB	2002/11/10 15:21
-	163	SSL and load\$1balanc\$3	USPAT;	2003/11/10 15:31
			US-PGPUB; EPO; JPO;	
			DERWENT;	
		,	IBM TDB	
L			םמו_ואומו	

-	56	(SSL and load\$1balanc\$3) and @ad<20000929	USPAT;	2003/11/10 16:44
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	25	(001 :4 10) 1 0 1 200000000	IBM_TDB	2002/11/10 16:45
-	25	(SSL with ID) and @ad<20000929	USPAT;	2003/11/10 16:45
		,	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
	166	(SSL with session) and @ad<20000929	USPAT;	2003/11/10 16:45
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_	(007 ) (1 ) (1 ) (1 ) (1 )	IBM_TDB	
-	5	(SSL with session adj ID) and @ad<20000929	USPAT;	2003/11/12 12:41
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
_	0	(SSL with session adj ID) same load adj (balanc\$3 or distribut\$5) and	USPAT;	2003/11/10 16:55
	_	@ad<20000929	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	(SSL with session adj ID) and load adj (balanc\$3 or distribut\$5) and	USPAT;	2003/11/10 17:27
		@ad<20000929	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
	0	(SSL with session adj ID) same persistence and @ad<20000929	USPAT;	2003/11/10 17:27
	Ĭ	(cost with section and response to the cost of the cos	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	( session adj ID) with load adj (balanc\$3 or distribut\$5) and	USPAT;	2003/11/10 17:32
		@ad<20000929	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	0	(SSL adj4 context) same load adj (balanc\$3 or distribut\$5) and	USPAT;	2003/11/10 17:33
		@ad<20000929	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(OOT 114	IBM_TDB	2002/11/10 17 22
-	0	(SSL adj4 context) and load adj (balanc\$3 or distribut\$5) and	USPAT;	2003/11/10 17:33
		@ad<20000929	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	(SSL with context) and load adj (balanc\$3 or distribut\$5) and	USPĀT;	2003/11/10 17:55
		@ad<20000929	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	502	(diametel #4 and distribute 4 L-1 #4) (COV)	IBM_TDB	2002/11/10 17 57
<del>-</del>	593	(dispatch\$4 or distribut\$4 or balanc\$4) same (SSL or (secure adj socket adj layer))	USPAT; US-PGPUB;	2003/11/10 17:57
		auj 1aye1))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	569	(dispatch\$4 or distribut\$4 or balanc\$4) same (SSL or (secure adj socket	USPAT;	2003/11/10 17:57
		adj layer) same session)	US-PGPUB;	
			EPO; JPO;	•
			DERWENT;	
			IBM_TDB	

-	183	(dispatch\$4 or distribut\$4 or balanc\$4) same (SSL or (secure adj socket adj layer))same session	USPAT; US-PGPUB;	2003/11/10 18:01
			EPO; JPO; DERWENT;	
-	4	(dispatch\$4 or distribut\$4 or balanc\$4) same (SSL or (secure adj socket	IBM_TDB USPAT;	2003/11/10 17:57
		adj layer))same session same (context or tunnel)	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
-	30	((dispatch\$4 or distribut\$4 or balanc\$4) same (SSL or (secure adj socket adj layer))same session ) and @ad<20000929	USPAT; US-PGPUB;	2003/11/12 09:39
		, , ,	EPO; JPO; DERWENT;	
_	7	((dispatch\$4 or distribut\$4 or balanc\$4) same (tunnel with session )) and	IBM_TDB USPAT;	2003/11/12 09:43
	,	@ad<20000929	US-PGPUB; EPO; JPO;	2003/11/12 07:13
			DERWENT; IBM_TDB	
-	9	((dispatch\$4 or distribut\$4 or balanc\$4) same (tunnel with map\$4)) and @ad<20000929	USPAT;	2003/11/12 09:47
		(Wau\20000929	US-PGPUB; EPO; JPO;	
		(/ limate 64 m. line it as 64 m. leng 64)	DERWENT; IBM_TDB	2002/11/12 00:47
-	0	((dispatch\$4 or distribut\$4 or balanc\$4) same (context with map\$4) same tunnel) and @ad<20000929	USPAT; US-PGPUB;	2003/11/12 09:47
			EPO; JPO; DERWENT;	
-	66	((dispatch\$4 or distribut\$4 or balanc\$4) same (context with map\$4)) and	IBM_TDB USPAT;	2003/11/12 09:49
		@ad<20000929	US-PGPUB; EPO; JPO;	
	_		DERWENT; IBM_TDB	
-	9	((dispatch\$4 or distribut\$4 or balanc\$4) same (context with address same map\$4)) and @ad<20000929	USPAT; US-PGPUB;	2003/11/12 09:51
			EPO; JPO; DERWENT;	
-	О	((dispatch\$4 or distribut\$4 or balanc\$4) same (tunnel same address same	IBM_TDB USPAT;	2003/11/12 10:01
		map\$4)) and @ad<20000929	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
-	0	((dispatch\$4 or distribut\$4 or balanc\$4) same (SSL adj context)) and @ad<20000929	USPAT; US-PGPUB;	2003/11/12 09:53
			EPO; JPO; DERWENT;	
-	0	((dispatch\$4 or distribut\$4 or balanc\$4) same (SSL same tunnel same	IBM_TDB USPAT;	2003/11/12 10:01
		map\$4)) and @ad<20000929	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
-	0	((dispatch\$4 or distribut\$4 or balanc\$4) same (SSL same tunnel)) and @ad<20000929	USPAT; US-PGPUB;	2003/11/12 09:53
			EPO; JPO; DERWENT;	
	137	((dispatch\$4 or distribut\$4 or balanc\$4) same (SSL)) and	IBM_TDB USPAT;	2003/11/12 09:53
		@ad<20000929	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	

		(/ 1)	LIODAT	2002/11/12 00 52
•	8	((dispatch\$4 or distribut\$4 or balanc\$4) same (SSL) and tunnel) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO;	2003/11/12 09:53
			DERWENT;	
-	0	((dispatch\$4 or distribut\$4 or balanc\$4) and (SSL same tunnel same	IBM_TDB USPAT;	2003/11/12 10:38
		map\$4)) and @ad<20000929	US-PGPUB; EPO; JPO;	
			DERWENT;	
	16	((dispatch\$4 or distribut\$4 or balanc\$4) and (tunnel same address same	IBM_TDB USPAT;	2003/11/12 10:01
		map\$4)) and @ad<20000929	US-PGPUB;	2000, 1, 12 10,00
			EPO; JPO; DERWENT;	
	3	((dispatch\$4 or distribut\$4 or balanc\$4) and (SSL with map\$4)) and	IBM_TDB USPAT;	2003/11/12 13:42
-	3	((dispatch 54 of distribut 54 of barane 54) and (SSE with map 54)) and (ad<20000929	US-PGPUB;	2003/11/12 13:42
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	3	((web adj server) or (server adj farm)) same SSL same tunnel and @ad<20000929	USPAT; US-PGPUB;	2003/11/12 10:42
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	49	((web adj server) or (server adj farm)) same SSL same map\$4 and @ad<20000929	USPAT; US-PGPUB;	2003/11/12 10:42
		- G	EPO; JPO;	
			DERWENT; IBM_TDB	
-	0	(SSL with session same tunnel same context) and @ad<20000929	USPAT; US-PGPUB;	2003/11/12 12:42
			EPO; JPO;	
			DERWENT; IBM TDB	
-	0	(SSL same session same tunnel same context) and @ad<20000929	USPAT;	2003/11/12 12:42
			US-PGPUB; EPO; JPO;	
İ			DERWENT; IBM_TDB	
-	0	(SSL and session same tunnel same context) and @ad<20000929	USPAT;	2003/11/12 12:42
			US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
-	1098	((dispatch\$4 or distribut\$4 or balanc\$4) and (server same connect\$4	USPAT;	2003/11/12 13:42
		same map\$4)) and @ad<20000929	US-PGPUB; EPO; JPO;	
,			DERWENT; IBM_TDB	
-	172	((dispatch\$4 or distribut\$4 or balanc\$4) same (server same connect\$4	USPAT;	2003/11/12 13:43
		same map\$4)) and @ad<20000929	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
-	286	((dispatch\$4 or distribut\$4 or balanc\$4) and (server with connect\$4 with	USPAT;	2003/11/12 13:43
		map\$4)) and @ad<20000929	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
-	48	((dispatch\$4 or distribut\$4 or balanc\$4) same (server with connect\$4	USPAT;	2003/11/12 14:35
	:	with map\$4)) and @ad<20000929	US-PGPUB; EPO; JPO;	
			DERWENT;	
L	l	<u> </u>	IBM_TDB	L

-	142	Netscape.asn.	USPAT;	2003/11/12 14:36
		·	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	5	Netscape.asn. and secure adj socket adj layer	USPAT;	2003/11/12 16:26
			US-PGPUB;	
			EPO; JPO;	
	-		DERWENT;	
	1		IBM_TDB	
-	7	5657390.URPN. and (load adj (balancing or distributing))	USPAT;	2003/11/12 16:30
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	